IN THE CLAIMS

Please amend the claims as follows:

- 1.(Original) Optical disc drive apparatus, comprising a laser device for generating a light beam for optically reading data from a disc, said laser device being incorporated in an LC oscillator circuit.
- 2.(Original) Optical disc drive apparatus according to claim 1, wherein said LC oscillator circuit comprises a current path in which said laser device and an inductance, preferably implemented as a coil, are coupled in a series arrangement.
- 3.(Original) Optical disc drive apparatus according to claim 3, wherein said LC oscillator circuit comprises at least one capacitance coupled in series with said laser device and said inductance.
- 4.(Original) Laser driver circuit for driving a semiconductor laser, having a first output terminal and a second output terminal for connection to the anode terminal and the cathode terminal, respectively, of a laser to be driven; the laser driver circuit comprising an inductance having at least one terminal coupled to at least one of said output terminals.

- 5.(Original) Laser driver circuit according to claim 4, further comprising at least one capacitance coupled between said inductance and said first or second output terminal, respectively.
- 6.(Currently Amended) Laser driver circuit according to any of elaims 4-5claim 4, wherein said inductance has one terminal coupled to said first output terminal and has another terminal coupled to said second output terminal.
- 7.(Currently Amended) Laser driver circuit according to any of claims 4-6 claim 4, further comprising a one-way conductor coupled between one of said output terminals and a voltage reference, said one-way conductor preferably comprising a diode.
- 8.(Original) Laser driver circuit according to claim 7, wherein said one-way conductor comprises a controllable switch controlled by a signal derived from a voltage occurring at a location in a current path defined by said inductance and said output terminals, said location preferably corresponding to one terminal or a tap of said inductance.

- 9.(Currently Amended) Laser driver circuit according to any of elaims 4-8claim 4, further comprising an inverter coupled in parallel to said inductance.
- 10.(Currently Amended) Laser driver circuit according to any of claims 4-9claim 4, comprising an output stage implemented as an oscillator, for instance a Pierce oscillator, a Colpitts oscillator, a Hartley oscillator, coupled to at least one of said output terminals.
- 11.(Currently Amended) Light beam generating device, comprising a semiconductor laser driven by a laser driver circuit according to $\frac{1}{2}$ and $\frac{1}{2}$ and $\frac{1}{2}$.
- 12.(Currently Amended) Optical disc drive apparatus, comprising a laser driver circuit according to any of claims 4-10claim 4 or a light beam generating device according to claim 11.